

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

WEST Search History

DATE: Thursday, September 09, 2004

<u>Hide?</u>	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L18	(appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same proxim\$6 same (session initiated protocol or sip or h.232 or voip or ip telephony)	8
<input type="checkbox"/>	L17	(appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same proxim\$6 same(receiver or transmit\$4) same.(session initiated protocol or sip or h.232 or voip or ip telephony)	1
<input type="checkbox"/>	L16	(appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (receiver or transmit\$4) same (session initiated protocol or sip or h.232 or voip or ip telephony)	284
<input type="checkbox"/>	L15	(appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same proxim\$6 near5 (receiver or transmit\$4) same (session initiated protocol or sip or h.232 or voip or ip telephony)	0
<input type="checkbox"/>	L14	(appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same proxim\$6 near5 (receiver or transmit\$4) same (session initiated protocol or sip or h.232 or voip or ip telephony) same register\$6	0
<input type="checkbox"/>	L13	(receiver or transmit\$4) same (appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (session initiated protocol or sip or h.232 or voip) same register\$6	20
<input type="checkbox"/>	L12	L11 same conver\$6	33
<input type="checkbox"/>	L11	(receiver or transmit\$4) same (appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (session initiated protocol or sip or h.232 or voip) same (announcement or signal or message or register\$6 or ping)	104
<input type="checkbox"/>	L10	(sessioin initaited protocol or sip or h.232 or voip) same receiver same (mobile or portable or laptop or telephone or phone)	19
<input type="checkbox"/>	L9	(sessioin initaited protocol or sip or h.232 or voip) and proximit\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0
<input type="checkbox"/>	L8	(sessioin initaited protocol or sip or h.232 or voip) same proximit\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0
<input type="checkbox"/>	L7	(sessioin initaited protocol or sip or h.232 or voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0
<input type="checkbox"/>	L6	register\$6 same (sessioin initaited protocol or sip or h.232 or voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0
<input type="checkbox"/>	L5	(sessioin initaited protocol or sip or h.232 oe voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0
<input type="checkbox"/>	L4	regist\$6 same (sessioin initaited protocol or sip or h.232 oe voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or	0

		phone)	
<input type="checkbox"/>	L3	regist\$6 same (sessioin initaited protocol or sip or h.232) same (mobile or portable or laptop or telephone or phone)	32
<input type="checkbox"/>	L2	registr\$6 same (sessioin initaited protocol or sip or h.232) same (mobile or portable or laptop or telephone or phone)	2
<input type="checkbox"/>	L1	5592533.pn.	1

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins
Term:	(receiver or transmit\$4) same (appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (session
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Thursday, September 09, 2004 [Printable Copy](#) [Create Case](#)



<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
DB=USPT; PLUR=YES; OP=ADJ			
<u>L13</u>	(receiver or transmit\$4) same (appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (session initiated protocol or sip or h.232 or voip) same register\$6	20	<u>L13</u>
<u>L12</u>	L11 same conver\$6	33	<u>L12</u>
<u>L11</u>	(receiver or transmit\$4) same (appliance or apparatus or mobile or portable or laptop or telephone or phone or pda) same (session initiated protocol or sip or h.232 or voip) same (announcement or signal or message or register\$6 or ping)	104	<u>L11</u>
<u>L10</u>	(session initiated protocol or sip or h.232 or voip) same receiver same (mobile or portable or laptop or telephone or phone)	19	<u>L10</u>
<u>L9</u>	(session initiated protocol or sip or h.232 or voip) and proximit\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L9</u>
<u>L8</u>	(session initiated protocol or sip or h.232 or voip) same proximit\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L8</u>
<u>L7</u>	(session initiated protocol or sip or h.232 or voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L7</u>
	register\$6 same (session initiated protocol or sip or h.232 or voip) same		

<u>L6</u>	proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L6</u>
<u>L5</u>	(sessioin initaited protocol or sip or h.232 oe voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L5</u>
<u>L4</u>	regist\$6 same (sessioin initaited protocol or sip or h.232 oe voip) same proximt\$6 near5 receiver same(mobile or portable or laptop or telephone or phone)	0	<u>L4</u>
<u>L3</u>	regist\$6 same (sessioin initaited protocol or sip or h.232) same (mobile or portable or laptop or telephone or phone)	32	<u>L3</u>
<u>L2</u>	registr\$6 same (sessioin initaited protocol or sip or h.232) same (mobile or portable or laptop or telephone or phone)	2	<u>L2</u>
<u>L1</u>	5592533.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>	 
-------	----------------------	--

Display:	<input type="text" value="10"/> Documents in Display Format:	<input type="text" value="TI"/> Starting with Number	<input type="text" value="1"/>
----------	--	--	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, September 09, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L14</u>	(portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (voip or sip or h.323 or ip telephony) same register\$6 same receiver	4	<u>L14</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	(portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (voip or sip or h.323 or ip telephony) same register\$6 same receiver	19	<u>L13</u>
<u>L12</u>	L11 same conver\$6	55	<u>L12</u>
<u>L11</u>	(portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (voip or sip or h.323 or ip telephony) same register\$6	272	<u>L11</u>
<u>L10</u>	(portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) ssame (voip or sip or h.323 or ip telephony) same register\$6	0	<u>L10</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
	(portable or device or appliance or apparatus or pda or pid or laptop or		

<u>L9</u>	computer or desktop) same proximity\$4 same (voip or sip or h.323 or ip telephony) same register\$6	0	<u>L9</u>
<u>L8</u>	receiver same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (voip or sip or h.323 or ip telephony) same register\$6	4	<u>L8</u>
<u>L7</u>	(proximity or infrared or frequency) near5 (receiver or transmit\$4) same (voip or sip or h.323 or ip telephony)	7	<u>L7</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	(proximity or infrared or frequency) near5 (receiver or transmit\$4) same (voip or sip or h.323) same register\$6	0	<u>L6</u>
<u>L5</u>	(proximity or infrared or frequency) near5 (receiver or transmit\$4) same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (voip or sip or h.323)	13	<u>L5</u>
<u>L4</u>	(proximity or infrared or frequency) near5 receiver same(portable or device or appliance or apparatus) same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (ping or message or announcement) same (voip or sip or h.323)	0	<u>L4</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L3</u>	(proximity or infrared or frequency) near5 receiver same(portable or device or appliance or apparatus) same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (ping or message or announcement) same (voip or sip or h.323)	0	<u>L3</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L2</u>	(proximity or infrared or frequency) near5 receiver same(portable or device or appliance or apparatus) same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (ping or message or announcement) same (voip or sip or h.323)	0	<u>L2</u>
<u>L1</u>	(proximity receiver or infrared receiver or frequency receiver) same(portable or device or appliance or apparatus) same (portable or device or appliance or apparatus or pda or pid or laptop or computer or desktop) same (ping or message or announcement) same (voip or sip or h.323)	0	<u>L1</u>

END OF SEARCH HISTORY